antibodies - online.com







anti-KIF2C antibody (AA 74-123)



Image



\sim	
()\/⊝	rview
0 1 0	VICVV

Quantity:	100 μL
Target:	KIF2C
Binding Specificity:	AA 74-123
Reactivity:	Human, Mouse, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KIF2C antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa74-123 of human KIF2C (Q99661, NP_006836). Percent

Product Details	
Immunogen:	Synthetic peptide located between aa74-123 of human KIF2C (Q99661, NP_006836). Percent identity by BLAST analysis: Human, Monkey (100%), Marmoset, Rat, Elephant, Bovine, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey (92%), Galago, Hamster, Dog (85%), Mouse (84%), Lizard (83%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human KIF2C / MCAK
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Rat, Bovine, Rabbit, Horse, Pig, Guinea pig (92%) Dog (85%) Mouse (84%).
Purification:	Immunoaffinity purified

Target Details

Target:	KIF2C
Alternative Name:	KIF2C / MCAK (KIF2C Products)
Background:	Name/Gene ID: KIF2C
	Synonyms: KIF2C, MCAK, Kinesin family member 2C, Kinesin-like protein 6, Kinesin-like protein KIF2C, KNSL6, Kinesin-like 6
Gene ID:	11004
NCBI Accession:	NP_006836
UniProt:	Q99661
Pathways:	Microtubule Dynamics
Application Details	
Application Notes:	Approved: WB
	Usage: ELISA titer using peptide based assay: 1:12500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.