

Datasheet for ABIN6737758
anti-TRIM9 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TRIM9
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Horse, Dog, Guinea Pig, Monkey, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM9 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human TRIM9 (Q9C026, NP_443210). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Rabbit, Guinea pig, Turkey, Chicken (100%), Bat, Opossum, Zebra finch, Platypus (92%), Dog, Bovine, Pig, Xenopus (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human TRIM9
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Rabbit, Guinea pig, Chicken (100%) Dog, Bovine (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	TRIM9
Alternative Name:	SPRING / TRIM9 (TRIM9 Products)
Background:	Name/Gene ID: TRIM9 Family: Tripartite Motif Synonyms: TRIM9, KIAA0282, RING finger protein 91, SPRING, Tripartite motif containing 9, RNF91, Tripartite motif-containing 9
Gene ID:	114088
NCBI Accession:	NP_443210
UniProt:	Q9C026
Pathways:	Synaptic Vesicle Exocytosis

Application Details

Application Notes:	Approved: WB Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.