Datasheet for ABIN6737920

anti-RBM4 antibody (AA 152-201)

Go to Product page

1 Image

Overview

Quantity:	100 µL
Target:	RBM4
Binding Specificity:	AA 152-201
Reactivity:	Human, Mouse, Rat, Guinea Pig, Horse, Rabbit, Monkey, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM4 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa152-201 of human RBM4 (Q96LT9, NP_002887). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Rabbit, Horse, Guinea pig (100%), Goat, Panda, Dog, Bovine, Pig (92%), Bat, Platypus (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RBM4
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Guinea pig (100%) Dog, Bovine, Goat, Horse, Pig (92%) Rabbit (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	RBM4
Alternative Name:	RBM4 / LARK (RBM4 Products)
Background:	Name/Gene ID: RBM4 Synonyms: RBM4, LARK, RBM4. LARK, RBM4A, RNA-binding motif protein 4a, RNA-binding protein 4, ZCRB3A, RNA-binding motif protein 4, ZCCHC21, HLark, Lark homolog, RNA binding motif protein 4
Gene ID:	5936
NCBI Accession:	NP_002887
UniProt:	Q9BWF3
Pathways:	Regulation of Muscle Cell Differentiation, Photoperiodism

Application Details

Application Notes:	Approved: WB Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 0.5 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.

Copyright antibodies-online. All rights reserved.