



Datasheet for ABIN6737927  
**anti-TAF15 antibody (AA 122-171)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	TAF15
Binding Specificity:	AA 122-171
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Guinea Pig, Horse, Pig, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TAF15 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa122-171 of human TAF15 (Q92804, NP_003478). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Rat, Bovine, Bat, Rabbit, Horse, Pig, Guinea pig (100%), Gibbon, Galago, Elephant, Dog, Opossum (92%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human TAF15
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Horse, Pig, Guinea pig (100%) Dog (92%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	TAF15
Alternative Name:	TAF15 ( <a href="#">TAF15 Products</a> )
Background:	Name/Gene ID: TAF15  Synonyms: TAF15, RBP56, RBP56/CSMF fusion, RNA-binding protein 56, TAFII68, TAF2N, TBP-associated factor 15, HTAFII68, TAF(II)68
Gene ID:	8148
NCBI Accession:	<a href="#">NP_003478</a>
UniProt:	<a href="#">Q92804</a>

## Application Details

---

Application Notes:	Approved: WB  Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 0.5 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**