antibodies -online.com







anti-SHMT2 antibody (AA 401-450)





()	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL	
Target:	SHMT2	
Binding Specificity:	AA 401-450	
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Bat, Hamster, Monkey, Pig	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This SHMT2 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))	

Product Details			
Immunogen:	Synthetic peptide located between aa401-450 of human SHMT2 (P34897, NP_005403). Percent		
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago,		
	Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bat, Rabbit, Horse, Pig, Guinea pig		
	(100%), Bovine, Seabass, Salmon, Stickleback (85%), Turkey, Zebra finch, Chicken, Xenopus		
	(84%).		
	Type of Immunogen: Synthetic peptide		
Isotype:	IgG		
Specificity:	Human SHMT2		
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Horse (100%).		

Product Details Purification: Immunoaffinity purified Target Details Target: SHMT2 Alternative Name SHMT / SHMT2 (SHMT2 Products) Background: Name/Gene ID: SHMT2 Synonyms: SHMT2, GLY A+, GLYA, Hydroxymethyltransferase 2, Serine methylase, Serine aldolase, SHMT, Threonine aldolase, Serine hydroxymethylase Gene ID: 6472 NCBI Accession: NP_005403 UniProt: P34897 **Application Details** Application Notes: Approved: IHC, IHC-P, WB Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 0.5 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Lyophilized Reconstitution: Distilled Water. Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. 4 °C,-20 °C Storage:

Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Storage Comment:

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.




Image 2.