

Datasheet for ABIN6738413
anti-NR0B1 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	NR0B1
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NR0B1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human NR0B1 (P51843, NP_000466). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey (100%), Elephant, Horse (91%), Dog (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human NR0B1 / DAX-1
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Horse (91%) Dog (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	NR0B1
Alternative Name:	NR0B1 / DAX1 (NR0B1 Products)
Background:	Name/Gene ID: NR0B1 Subfamily: NR0 Knirps-like Family: NHR Synonyms: NR0B1, AHX, AHC, AHCH, DAX1, DSS, DAX 1, DAX-1, Adrenal hypoplasia congenita, Dosage-sensitive sex reversal, GTD, HHG, Nuclear hormone receptor, NR0B1, Nuclear receptor DAX-1, SRXY2, Nuclear receptor DAX1, Dax-1 receptor
Gene ID:	190
NCBI Accession:	NP_000466
UniProt:	P51843
Pathways:	Nuclear Receptor Transcription Pathway , Intracellular Steroid Hormone Receptor Signaling Pathway , Steroid Hormone Mediated Signaling Pathway , Regulation of Intracellular Steroid Hormone Receptor Signaling

Application Details

Application Notes:	Approved: WB Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.

Handling

Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.