antibodies -online.com





 $100 \, \mu L$

Datasheet for ABIN6738631

anti-MANEA antibody (AA 218-267)



Image



Go to Product page

\sim					
	1//	r۱.	/ I	\triangle	٨

Quantity:

Purification:

Target:	MANEA	
Binding Specificity:	AA 218-267	
Reactivity:	Human, Mouse, Rat, Dog, Horse, Zebrafish (Danio rerio)	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MANEA antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa218-267 of human MANEA (Q5SRI9, NP_078917). Percent	
	identity by BLAST analysis: Human, Chimpanzee, Orangutan, Gibbon, Monkey, Galago, Mouse,	
	Rat, Elephant, Panda, Dog (100%), Marmoset, Bat, Pig (92%), Xenopus (91%), Hamster, Horse	
	Rat, Elephant, Panda, Dog (100%), Marmoset, Bat, Pig (92%), Xenopus (91%), Hamster, Horse	
Isotype:	Rat, Elephant, Panda, Dog (100%), Marmoset, Bat, Pig (92%), Xenopus (91%), Hamster, Horse (85%), Opossum (84%), Turkey, Zebra finch, Chicken (83%).	
Isotype: Specificity:	Rat, Elephant, Panda, Dog (100%), Marmoset, Bat, Pig (92%), Xenopus (91%), Hamster, Horse (85%), Opossum (84%), Turkey, Zebra finch, Chicken (83%). Type of Immunogen: Synthetic peptide	

Immunoaffinity purified

Target Details

Target:	MANEA
Alternative Name:	MANEA / ENDO (MANEA Products)
Background:	Name/Gene ID: MANEA
	Synonyms: MANEA, ENDO, Endo-alpha mannosidase, Endomannosidase, HEndo, Alpha 1,2-endomannosidase, Mandaselin, Mannosidase, endo-alpha
Gene ID:	79694
NCBI Accession:	NP_078917
UniProt:	Q5SRI9

Application Details

Storage Comment:

Application Notes:	Approved: WB		
	Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.		
Comment:	Target Species of Antibody: Human		
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Reconstitution:	Distilled Water.		
Concentration:	Lot specific		
Buffer:	Lyophilized from PBS with 2 % sucrose		
Handling Advice:	Avoid repeat freeze-thaw cycles.		
Storage:	4 °C,-20 °C		

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

term use (up to 1 year)

Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long




Image 1.