

Datasheet for ABIN6738741  
**anti-ZNF385D antibody (AA 290-339)**



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	ZNF385D
Binding Specificity:	AA 290-339
Reactivity:	Human, Dog, Horse, Pig, Rabbit, Chicken, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF385D antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa290-339 of human ZNF385D (Q9H6B1, NP_078973). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Panda, Dog, Bat, Rabbit, Horse, Pig, Opossum, Turkey, Zebra finch, Chicken, Platypus, Lizard (100%), Rat, Xenopus (92%), Bovine (91%), Mouse, Elephant, Guinea pig, Stickleback, Zebrafish (85%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human ZNF385D / ZNF659
Predicted Reactivity:	Percent identity by BLAST analysis: Dog, Rabbit, Horse, Pig, Chicken (100%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	ZNF385D
Alternative Name:	ZNF659 / ZNF385D ( <a href="#">ZNF385D Products</a> )
Background:	Name/Gene ID: ZNF385D Family: Zinc Finger  Synonyms: ZNF385D, ZNF659, Zinc finger protein 385D, Zinc finger protein 659
Gene ID:	79750
NCBI Accession:	<a href="#">NP_078973</a>
UniProt:	<a href="#">Q9H6B1</a>

## Application Details


---

Application Notes:	Approved: WB  Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**