antibodies -online.com







anti-CCT6B antibody (AA 151-200)

100 μL

Bovine (85%).

Immunoaffinity purified



Image

Predicted Reactivity:

Purification:



\sim			
	$ \backslash / \cap$	r\/I	$I \cap V$

Quantity:

,	·	
Target:	CCT6B	
Binding Specificity:	AA 151-200	
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CCT6B antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa151-200 of human CCT6B (Q92526, NP_006575). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Elephant, Guinea pig (100%), Panda, Dog, Rabbit (92%), Mouse, Rat, Bovine, Bat, Horse, Turkey, Chicken (85%).	
	Type of Immunogen: Synthetic peptide	
Isotype:	IgG	
Specificity:	Human CCT6B	

Percent identity by BLAST analysis: Human, Guinea pig (100%) Dog, Rabbit (92%) Mouse, Rat,

Target Details

Target:	CCT6B	
Alternative Name:	CCT6B (CCT6B Products)	
Background:	Name/Gene ID: CCT6B	
	Synonyms: CCT6B, CCTZ-2, CCT-zeta-2, CCT-zeta-like, Cctz2, TCP-1-zeta-like, Testis-specific protein TSA303, Testis-specific Tcp20, TSA303, TCP-1-zeta-2	
Gene ID:	10693	
NCBI Accession:	NP_006575	
UniProt:	Q92526	

Application Details

Application Notes:	Approved: WB	
	Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Distilled Water.	
Concentration:	Lot specific	

Reconstitution: Distilled Water. Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. Storage: 4 °C,-20 °C Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.