



[Go to Product page](#)

Datasheet for ABIN6738958
anti-GLE1 antibody (AA 218-267)

1 Image

Overview

| | |
|----------------------|-------------------------------------|
| Quantity: | 100 µL |
| Target: | GLE1 |
| Binding Specificity: | AA 218-267 |
| Reactivity: | Human, Horse |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This GLE1 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|---|
| Immunogen: | Synthetic peptide located between aa218-267 of human GLE1 (Q53GS7, NP_001490). Percent identity by BLAST analysis: Human, Gorilla, Orangutan, Marmoset, Panda, Horse (100%), Monkey, Mouse, Rat, Dog, Bovine, Opossum (92%), Pig, Platypus (85%), Turkey, Zebra finch, Chicken (84%). Type of Immunogen: Synthetic peptide |
| Isotype: | IgG |
| Specificity: | Human GLE1 / GLE1L |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Horse (100%) Mouse, Rat, Dog, Bovine (92%) Chicken (84%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|-------------------|--|
| Target: | GLE1 |
| Alternative Name: | GLE1 (GLE1 Products) |
| Background: | Name/Gene ID: GLE1 Synonyms: GLE1, GLE1L, GLE1-like protein, LCCS1, LCCS, GLE1-like, RNA export mediator, HGLE1, Nucleoporin GLE1 |
| Gene ID: | 2733 |
| NCBI Accession: | NP_001490 |
| UniProt: | Q53GS7 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB Usage: ELISA titer using peptide based assay: 1:1562500. Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled Water. |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



Image 1.