



[Go to Product page](#)

Datasheet for ABIN6739115
anti-ZNF77 antibody (AA 110-159)

1 Image

Overview

| | |
|----------------------|--------------------------------------|
| Quantity: | 100 µL |
| Target: | ZNF77 |
| Binding Specificity: | AA 110-159 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZNF77 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | Synthetic peptide located between aa110-159 of human ZNF77 (Q15935, NP_067040). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon (100%), Gorilla, Monkey (92%). Type of Immunogen: Synthetic peptide |
| Isotype: | IgG |
| Specificity: | Human ZNF77 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human (100%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|---------|-------|
| Target: | ZNF77 |
|---------|-------|

Target Details

| | |
|-------------------|--|
| Alternative Name: | ZNF77 (ZNF77 Products) |
| Background: | Name/Gene ID: ZNF77 Family: Zinc Finger Synonyms: ZNF77, ZNFpT1, Zinc finger protein 77, Zinc finger protein 77 (pT1), PT1 |
| Gene ID: | 58492 |
| NCBI Accession: | NP_067040 |
| UniProt: | Q15935 |

Application Details

| | |
|--------------------|---|
| Application Notes: | Approved: WB Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled Water. |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C, -20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



Image 1.