

Datasheet for ABIN6739179

anti-FAM19A3 antibody (AA 72-121)[Go to Product page](#)**1** Image

Overview

Quantity:	100 µL
Target:	FAM19A3
Binding Specificity:	AA 72-121
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Rabbit, Bat, Monkey, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAM19A3 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa72-121 of human FAM19A3 (Q2M1P9, NP_001004440). Percent identity by BLAST analysis: Human, Gorilla, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Dog, Bat, Rabbit, Pig, Guinea pig (100%), Panda, Horse, Opossum (92%), Zebrafish (91%), Xenopus (90%), Gibbon, Bovine, Turkey, Zebra finch, Chicken, Platypus, Lizard, Seabass, Stickleback (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human FAM19A3
Predicted Reactivity:	Percent identity by BLAST analysis: Rat, Dog, Rabbit, Pig, Guinea pig (100%) Horse (92%) Chicken (85%).

Product Details

Purification: Immunoaffinity purified

Target Details

Target: FAM19A3

Alternative Name: FAM19A3 ([FAM19A3 Products](#))

Background: Name/Gene ID: FAM19A3

Synonyms: FAM19A3, Chemokine-like protein TFAF-3, TFAF-3, TFAF3, Protein FAM19A3

Gene ID: 284467

NCBI Accession: [NP_001004440](#)

UniProt: [Q7TPG7](#)

Application Details

Application Notes: Approved: WB

Usage: ELISA titer using peptide based assay: 1:1562500. Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled Water.

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Handling

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.