## antibodies -online.com





## anti-SLC38A9 antibody (AA 218-267)



Image



Go to Product page

$\sim$			
	N/6	1//r	$I \cap V$

Quantity:	100 μL
Target:	SLC38A9
Binding Specificity:	AA 218-267
Reactivity:	Human, Dog, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC38A9 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa218-267 of human SLC38A9 (B3KVK8, NP_775785).
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Horse
	(100%), Galago, Mouse, Rat (92%), Marmoset, Elephant, Dog, Bat, Rabbit (85%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human SLC38A9
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Monkey (100%) Mouse, Rat (92%) Dog (85%).
Purification:	Immunoaffinity purified

## Target Details

Target:	SLC38A9
Alternative Name:	SLC38A9 (SLC38A9 Products)
Background:	Name/Gene ID: SLC38A9
	Family: Ion Channel
	Synonyms: SLC38A9
Gene ID:	153129
NCBI Accession:	NP_775785
UniProt:	Q8NBW4

## **Application Details**

Application Notes:	Approved: WB
	Usage: ELISA titer using peptide based assay: 1:1562500. Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in
	1:50000 - 100000 as second antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.