



[Go to Product page](#)

Datasheet for ABIN6739396
anti-FAAH2 antibody (AA 389-438)

1 Image

Overview

Quantity:	100 µL
Target:	FAAH2
Binding Specificity:	AA 389-438
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FAAH2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa389-438 of human FAAH2 (Q6GMR7, NP_777572). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla (100%), Monkey (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human FAAH2
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	FAAH2
---------	-------

Target Details

Alternative Name: FAAH2 ([FAAH2 Products](#))

Background: Name/Gene ID: FAAH2

Synonyms: FAAH2, AMDD, Fatty-acid amide hydrolase 2, FAAH-2, Amidase domain containing, Anandamide amidohydrolase 2, RP11-479E16.1, Fatty acid amide hydrolase 2, Oleamide hydrolase 2

Gene ID: 158584

NCBI Accession: [NP_777572](#)

UniProt: [Q6GMR7](#)

Application Details

Application Notes: Approved: WB

Usage: ELISA titer using peptide based assay: 1:62500. Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1:50000 - 100000 as second antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled Water.

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.