## antibodies -online.com





## anti-MARVELD3 antibody (AA 219-268)

2 Images



Go to	D		
	Pron	ויאווו	mane

_					
	W	0	rv	10	W

Quantity:	100 μL
Target:	MARVELD3
Binding Specificity:	AA 219-268
Reactivity:	Human, Mouse, Dog, Pig, Rabbit, Rat, Cow, Guinea Pig, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MARVELD3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-
	embedded Sections) (IHC (p))
Product Details	
Immunogen:	Synthetic peptide located between aa219-268 of human MARVELD3 (A8K820, NP_001017967).
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Marmoset,
	Mouse, Rat, Dog, Bovine, Bat, Rabbit, Pig, Opossum (100%), Platypus (92%), Guinea pig (85%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human MARVELD3
Predicted Reactivity:	Percent identity by BLAST analysis: Mouse, Rat, Rabbit, Pig, Dog, Bovine (100%) Guinea pig
	(85%).
Purification:	Immunoaffinity purified

Target Details		
Target:	MARVELD3	
Alternative Name:	MARVELD3 (MARVELD3 Products)	
Background:	Name/Gene ID: MARVELD3	
	Subfamily: Provisional protein kinase	
	Family: Protein Kinase	
	Synonyms: MARVELD3, MARVEL domain containing 3, MARVD3	
Gene ID:	91862	
NCBI Accession:	NP_001017967	
Pathways:	Cell-Cell Junction Organization	
Application Details		
Application Notes:	Approved: IHC, IHC-P, WB	
	Usage: ELISA titer using peptide based assay: 1:312500. Western Blot: Suggested dilution at	
	0.25 μg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be	
	diluted in 1:50000 - 100000 as second antibody.	
Comment:	Target Species of Antibody: Human	

## Handling

Restrictions:

Format:	Lyophilized
Reconstitution:	Distilled Water.
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

For Research Use only




Image 1.




Image 2.