

Datasheet for ABIN6740261  
**anti-RBM6 antibody (AA 216-265)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	RBM6
Binding Specificity:	AA 216-265
Reactivity:	Human, Mouse, Cow, Dog, Rabbit, Horse, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM6 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	Synthetic peptide located between aa216-265 of human RBM6 (P78332, NP_005768). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Panda, Dog, Bovine, Bat, Horse (100%), Rat, Elephant, Guinea pig (92%), Rabbit (85%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RBM6
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Dog, Bovine, Horse (100%) Rat, Guinea pig (92%) Rabbit (85%).
Purification:	Immunoaffinity purified

## Target Details

Target:	RBM6
Alternative Name:	RBM6 / 3G2 ( <a href="#">RBM6 Products</a> )
Background:	<p>Name/Gene ID: RBM6</p> <p>Synonyms: RBM6, 3G2, DEF3, G16, HLC-11, Lung cancer protooncogene 11, Lung cancer antigen NY-LU-12, RNA-binding protein 6, RNA-binding protein DEF-3, Protein G16, RNA binding motif protein 6, RNA-binding motif protein 6, DEF-3, NY-LU-12</p>
Gene ID:	10180
NCBI Accession:	<a href="#">NP_005768</a>
UniProt:	<a href="#">P78332</a>

## Application Details

Application Notes:	<p>Approved: WB (0.2 - 1 µg/mL)</p> <p>Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:312500.</p>
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	<p>Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)</p> <p>Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.</p>




Image 1.