# antibodies - online.com







## anti-RNASET2 antibody (AA 107-156)



Image



( )	11/0	r\ /1	$\triangle 1 $
	$\lor \lor \vdash$	$I \vee I$	ew

Quantity:	100 μL
Target:	RNASET2
Binding Specificity:	AA 107-156
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNASET2 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Product Details Immunogen:	Synthetic peptide located between aa107-156 of human RNASET2 (000584, NP_003721).
	Synthetic peptide located between aa107-156 of human RNASET2 (000584, NP_003721).  Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%),
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%),
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Platypus (81%).
Immunogen:	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Platypus (81%).  Type of Immunogen: Synthetic peptide
Immunogen:	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Platypus (81%).  Type of Immunogen: Synthetic peptide  IgG

#### Target Details

Target:	RNASET2
Alternative Name:	RNASET2 (RNASET2 Products)
Background:	Name/Gene ID: RNASET2
	Synonyms: RNASET2, BA514012.3, Ribonuclease 6, RNASE6PL, Ribonuclease T2, RP11-514012.3
Gene ID:	8635
NCBI Accession:	NP_003721
UniProt:	000584

### **Application Details**

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

#### Handling

Format:	Lyophilized	
Reconstitution:	Distilled water	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS with 2 % sucrose	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	




Image 1.