# antibodies -online.com





## anti-SCAND1 antibody (AA 36-85)





Go to Product page

| $\sim$ |      |   |            |          |   |
|--------|------|---|------------|----------|---|
|        | 1//6 | r | <b>V</b> I | $\Theta$ | Λ |

| Quantity:             | 100 μL  |  |
|-----------------------|---|--|
| Target:               | SCAND1  |  |
| Binding Specificity:  | AA 36-85  |  |
| Reactivity:           | Human, Horse, Monkey  |  |
| Host:                 | Rabbit  |  |
| Clonality:            | Polyclonal  |  |
| Conjugate:            | This SCAND1 antibody is un-conjugated   |  |
| Application:          | Western Blotting (WB)   |  |
| Product Details       |   |  |
| Immunogen:            | Synthetic peptide located between aa36-85 of human SCAND1 (P57086, NP_057642). Percent    |  |
|                       | identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Orangutan, |  |
|                       | Horse (85%).  |  |
|                       | Type of Immunogen: Synthetic peptide  |  |
|                       |   |  |
| Isotype:              | IgG   |  |
| Isotype: Specificity: | IgG Human SCAND1  |  |
|                       |   |  |

#### Target Details

| Target:           | SCAND1  |
|-------------------|---|
| Alternative Name: | SCAND1 (SCAND1 Products)  |
| Background:       | Name/Gene ID: SCAND1  |
|                   | Synonyms: SCAND1, SCAN domain containing 1, SCAN domain-containing 1, SCAN-related protein RAZ1, SDP1, RAZ1 |
| Gene ID:          | 51282   |
| NCBI Accession:   | NP_057642   |
| UniProt:          | P57086  |

### **Application Details**

| Application Notes: | Approved: WB (0.2 - 1 μg/mL)   |
|--------------------|--|
|                    | Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. |
| Comment:           | Target Species of Antibody: Human  |
| Restrictions:      | For Research Use only  |

## Handling

| Format:          | Lyophilized   |  |
|------------------|---|--|
| Reconstitution:  | Distilled water   |  |
| Concentration:   | Lot specific  |  |
| Buffer:          | Lyophilized from PBS with 2 % sucrose   |  |
| Handling Advice: | Avoid repeat freeze-thaw cycles.  |  |
| Storage:         | 4 °C,-20 °C   |  |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |  |




Image 1.