



[Go to Product page](#)

Datasheet for ABIN6740641
anti-HOXA9 antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	HOXA9
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Dog, Guinea Pig, Horse, Rabbit, Chicken, Zebrafish (Danio rerio), Monkey, Xenopus laevis, Bat, Pig, Hamster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HOXA9 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human HOXA9 (P31269, NP_689952). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Baboon, Monkey, Galago, Marmoset, Mouse, Rat, Shrew, Hamster, Elephant, Dog, Bat, Rabbit, Horse, Pig, Guinea pig, Zebra finch, Chicken, Platypus, Xenopus (100%), Salmon, Stickleback, Medaka, Pufferfish (92%), Panda, Bovine, Opossum, Armadillo (85%), Sheep, Goat, Lizard (84%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human HOXA9
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Rat, Dog, Rabbit, Pig, Guinea pig, Chicken, Xenopus

Product Details

(100%) Zebrafish (92%).

Purification: Immunoaffinity purified

Target Details

Target: HOXA9

Alternative Name: HOXA9 ([HOXA9 Products](#))

Background: Name/Gene ID: HOXA9

Synonyms: HOXA9, ABD-B, Homeobox protein Hox-A9, HOX1.7, Homeobox A9, Homeobox A9, HOX1, HOX1G, Homeobox protein Hox-1G, Homeodomain protein HOXA9

Gene ID: 3205

NCBI Accession: [NP_689952](#)

UniProt: [P31269](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:1562500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C,-20 °C

Handling

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.