



Datasheet for ABIN6740680
anti-RBM39 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	RBM39
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Pig, Zebrafish (Danio rerio), Chicken, Xenopus laevis, Bat, Hamster, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RBM39 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human RBM39 (Q14498, NP_004893). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Baboon, Monkey, Galago, Marmoset, Mouse, Rat, Shrew, Hamster, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Turkey, Zebra finch, Chicken, Armadillo, Platypus, Lizard, Xenopus (100%), Zebrafish (85%), Salmon (84%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RBM39
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Pig,

Product Details

Chicken, Xenopus (100%) Zebrafish (85%).

Purification: Immunoaffinity purified

Target Details

Target: RBM39

Alternative Name: RBM39 ([RBM39 Products](#))

Background: Name/Gene ID: RBM39

Synonyms: RBM39, CC1.3, CAPERalpha, FSAP59, RNA-binding protein 39, RNA binding motif protein 39, RNPC2, CAPER, HCC1, RNA-binding motif protein 39, Splicing factor HCC1

Gene ID: 9584

NCBI Accession: [NP_004893](#)

UniProt: [Q14498](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:2500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C,-20 °C

Handling

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.