



[Go to Product page](#)

Datasheet for ABIN6740722
anti-FZD9 antibody (AA 144-193)

1 Image

Overview

Quantity:	100 µL
Target:	FZD9
Binding Specificity:	AA 144-193
Reactivity:	Human, Mouse, Rat, Guinea Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FZD9 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa144-193 of human FZD9 (O00144, NP_003499). Percent identity by BLAST analysis: Human, Chimpanzee, Gibbon (100%), Guinea pig (85%), Galago, Mouse, Rat (84%), Panda (80%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human FZD9 / Frizzled 9
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Guinea pig (85%) Mouse, Rat (84%).
Purification:	Immunoaffinity purified

Target Details

Target:	FZD9
Alternative Name:	FZD9 / Frizzled 9 (FZD9 Products)
Background:	Name/Gene ID: FZD9 Subfamily: Frizzled Family: GPCR Synonyms: FZD9, CD349, Frizzled homolog 9, Fz-9, Frizzled family receptor 9, Frizzled-9, Frizzled 9, Fz9, HFz9, CD349 antigen, Frizzled homolog fzd3, FzE6
Gene ID:	8326
NCBI Accession:	NP_003499
UniProt:	O00144
Pathways:	WNT Signaling

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Not recommended for: IHC-P
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.

Handling

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.