antibodies -online.com







anti-ASCC2 antibody (AA 612-661)



Image



()	11	\sim	rv		۱ ۸
	1 \ /	┙	I \/	╙	1/1

Quantity:	100 μL		
Target:	ASCC2		
Binding Specificity:	AA 612-661		
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Dog, Guinea Pig, Horse, Bat, Chicken, Hamster, Monkey, Xenopus laevis		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This ASCC2 antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
Immunogen:	Synthetic peptide located between aa612-661 of human ASCC2 (Q9H1I8, NP_115580). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Galago, Mouse, Rat, Hamster, Dog, Bovine, Bat, Rabbit, Horse, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Xenopus (100%), Elephant, Lizard (92%).		
	Type of Immunogen: Synthetic peptide		
Isotype:	IgG		
Specificity:	Human ASCC2		
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Guinea pig,		

Chicken, Xenopus (100%).

Product Details Purification: Immunoaffinity purified **Target Details** Target: ASCC2 Alternative Name ASCC2 (ASCC2 Products) Background: Name/Gene ID: ASCC2 Synonyms: ASCC2, ASC-1 complex subunit p100, ASC1p100, p100, Trip4 complex subunit p100 Gene ID: 84164 NCBI Accession: NP_115580 UniProt: Q9H1I8 **Application Details** Application Notes: Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:12500. Comment: Target Species of Antibody: Human Restrictions: For Research Use only Handling Format: Lyophilized Reconstitution: Distilled water Concentration: Lot specific Buffer: Lyophilized from PBS with 2 % sucrose Handling Advice: Avoid repeat freeze-thaw cycles. Storage: 4 °C,-20 °C Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.