



[Go to Product page](#)

Datasheet for ABIN6740790

anti-Tetraspanin 17 antibody (AA 72-121)

1 Image

Overview

Quantity:	100 µL
Target:	Tetraspanin 17 (TSPAN17)
Binding Specificity:	AA 72-121
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Zebrafish (Danio rerio), Dog, Guinea Pig, Horse, Xenopus laevis, Bat, Monkey, Pig, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Tetraspanin 17 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa72-121 of human TSPAN17 (Q96FV3, NP_036303). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Xenopus, Catfish, Zebrafish (100%), Drosophila (92%), Salmon, Stickleback, Beetle (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human TSPAN17
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Dog, Horse, Pig, Zebrafish (100%) Xenopus

Product Details

(92%).

Purification: Immunoaffinity purified

Target Details

Target: Tetraspanin 17 (TSPAN17)

Alternative Name: FBX23 / Tetraspanin 17 ([TSPAN17 Products](#))

Background: Name/Gene ID: TSPAN17
Family: Tetraspan

Synonyms: TSPAN17, FBX023, F-box only protein 23, Tetraspanin-17, Tspan-17, TM4SF17, FBX23, Tetraspan protein SB134, Tetraspanin 17

Gene ID: 26262

NCBI Accession: [NP_036303](#)

UniProt: [Q96FV3](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Handling

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images




Image 1.