

Datasheet for ABIN6740802
anti-RNF19A antibody (AA 108-157)[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	RNF19A
Binding Specificity:	AA 108-157
Reactivity:	Human, Mouse, Dog, Cow, Pig, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF19A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa108-157 of human RNF19A (Q9NV58, NP_056250). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Marmoset, Mouse, Elephant, Panda, Dog, Bovine, Horse, Pig (100%), Gibbon, Galago, Rat, Bat, Rabbit, Guinea pig (92%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RNF19A / DORFIN
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Dog, Bovine, Horse (100%) Rat, Guinea pig (92%).
Purification:	Immunoaffinity purified

Target Details

Target:	RNF19A
Alternative Name:	RNF19A / DORFIN (RNF19A Products)
Background:	Name/Gene ID: RNF19A Synonyms: RNF19A, DORFIN, Double ring-finger protein, RING finger protein 19 isoform, RNF19, Ring finger protein 19, p38, p38 protein, RING finger protein 19A
Gene ID:	25897
NCBI Accession:	NP_056250
UniProt:	Q9NV58

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:1562500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.