



[Go to Product page](#)

Datasheet for ABIN6740829  
**anti-LONRF2 antibody (AA 576-625)**

1 Image

Overview

|                      |                                       |
|----------------------|---------------------------------------|
| Quantity:            | 100 µL                                |
| Target:              | LONRF2                                |
| Binding Specificity: | AA 576-625                            |
| Reactivity:          | Human, Rat, Mouse, Dog, Horse         |
| Host:                | Rabbit                                |
| Clonality:           | Polyclonal                            |
| Conjugate:           | This LONRF2 antibody is un-conjugated |
| Application:         | Western Blotting (WB)                 |

Product Details

|                       |  |
|-----------------------|--|
| Immunogen:            | Synthetic peptide located between aa576-625 of human LONRF2 (Q1L5Z9, NP_940863).<br>Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Marmoset, Mouse, Rat, Dog (100%), Monkey (92%), Opossum (85%).<br><br>Type of Immunogen: Synthetic peptide |
| Isotype:              | IgG  |
| Specificity:          | Human LONRF2   |
| Predicted Reactivity: | Percent identity by BLAST analysis: Human, Mouse, Rat, Dog (100%).   |
| Purification:         | Immunoaffinity purified  |

## Target Details

---

|                   |   |
|-------------------|---|
| Target:           | LONRF2  |
| Alternative Name: | LONRF2 ( <a href="#">LONRF2 Products</a> )                                    |
| Background:       | Name/Gene ID: LONRF2<br><br>Synonyms: LONRF2, RING finger protein 192, RNF192 |
| Gene ID:          | 164832  |
| NCBI Accession:   | <a href="#">NP_940863</a>   |
| UniProt:          | <a href="#">Q1L5Z9</a>  |

## Application Details

---

|                    |  |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL)<br><br>Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. |
| Comment:           | Target Species of Antibody: Human  |
| Restrictions:      | For Research Use only  |

## Handling

---

|                  |   |
|------------------|---|
| Format:          | Lyophilized   |
| Reconstitution:  | Distilled water   |
| Concentration:   | Lot specific  |
| Buffer:          | Lyophilized from PBS with 2 % sucrose   |
| Handling Advice: | Avoid repeat freeze-thaw cycles.  |
| Storage:         | 4 °C,-20 °C   |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)<br><br>Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |



**Image 1.**