



[Go to Product page](#)

Datasheet for ABIN6740848

anti-SLC02B1 antibody (AA 36-85)

1 Image

Overview

Quantity:	100 µL
Target:	SLC02B1
Binding Specificity:	AA 36-85
Reactivity:	Human, Mouse, Rat, Cow, Dog, Rabbit, Guinea Pig, Zebrafish (Danio rerio), Pig, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SLC02B1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa36-85 of human SLC02B1 (O94956, NP_009187). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Monkey, Galago, Marmoset, Mouse, Rat, Dog, Bovine, Bat, Rabbit, Pig, Guinea pig (100%), Horse, Opossum (92%), Turkey, Chicken, Xenopus (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human SLC02B1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Pig, Guinea pig (100%) Horse (92%) Chicken, Xenopus (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	SLC02B1
Alternative Name:	SLC02B1 (SLC02B1 Products)
Background:	Name/Gene ID: SLC02B1 Subfamily: Organic anion transporter Family: Transporter Synonyms: SLC02B1, KIAA0880, Organic anion transporter B, SLC21A9, OATPB, Moat1, OATP-B, OATP-RP2, OATP2B1, OATPRP2
Gene ID:	11309
NCBI Accession:	NP_009187
UniProt:	O94956

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Not recommended for: IHC-P
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C

Handling

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)
Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.