



[Go to Product page](#)

Datasheet for ABIN6740996

anti-CTDNEP1A antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	CTDNEP1A
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Rabbit, Cow, Zebrafish (Danio rerio), Dog, Guinea Pig, Horse, Bat, Monkey, Pig, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CTDNEP1A antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human CTDNEP1 (O95476, NP_056158). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Galago, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Xenopus, Catfish, Salmon, Pufferfish, Zebrafish (100%), Stickleback, Drosophila (92%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human CTDNEP1 / DULLARD
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Xenopus, Catfish, Salmon, Pufferfish, Zebrafish, Blood fluke, Trichoplax (100%) Drosophila, Mosquito, Beetle, Tick (92%)

Product Details

Sea anemone (90%).

Purification: Immunoaffinity purified

Target Details

Target: CTDNEP1A

Alternative Name: CTDNEP1 / DULLARD ([CTDNEP1A Products](#))

Background: Name/Gene ID: CTDNEP1

Synonyms: CTDNEP1, DULLARD, Dullard homolog, NET56, HSA011916

Gene ID: 23399

NCBI Accession: [NP_056158](#)

UniProt: [O95476](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Handling

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.