



[Go to Product page](#)

Datasheet for ABIN6741076
anti-DIRC2 antibody (AA 216-265)

1 Image

Overview

Quantity:	100 µL
Target:	DIRC2
Binding Specificity:	AA 216-265
Reactivity:	Human, Mouse, Guinea Pig, Horse, Rabbit, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DIRC2 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa216-265 of human DIRC2 (Q96SL1, NP_116228). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Marmoset, Mouse (100%), Rat (92%), Elephant, Bat, Rabbit, Horse, Guinea pig (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human DIRC2
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse (100%) Rat (92%) Rabbit, Horse, Guinea pig (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	DIRC2
Alternative Name:	DIRC2 / RCC4 (DIRC2 Products)
Background:	Name/Gene ID: DIRC2 Synonyms: DIRC2, Disrupted in renal carcinoma 2, RCC4, Renal cell carcinoma 4
Gene ID:	84925
NCBI Accession:	NP_116228
UniProt:	Q96SL1

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.