



[Go to Product page](#)

Datasheet for ABIN6741088

## anti-ZNF708 antibody (AA 144-193)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	ZNF708
Binding Specificity:	AA 144-193
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ZNF708 antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	Synthetic peptide located between aa144-193 of human ZNF708 (P17019, NP_067092). Percent identity by BLAST analysis: Human, Gorilla (100%), Monkey (85%), Gibbon (84%).  Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human ZNF708
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%).
Purification:	Immunoaffinity purified

#### Target Details

Target:	ZNF708
---------	--------

## Target Details

---

Alternative Name: [ZNF708 \(ZNF708 Products\)](#)

Background: Name/Gene ID: ZNF708  
Family: Zinc Finger

Synonyms: ZNF708, KOX8, Zinc finger protein 15, Zinc finger protein 15-like 1, Zinc finger protein 708, ZNF15L1, Zinc finger protein 708 (KOX8), Zinc finger protein KOX8, ZNF15

Gene ID: 7562

NCBI Accession: [NP\\_067092](#)

UniProt: [Q49A33](#)

## Application Details

---

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

## Handling

---

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**