antibodies.com

## Datasheet for ABIN6741123 anti-HAX1 antibody (AA 107-156)

Image



## Overview

Quantity:	100 µL
Target:	HAX1
Binding Specificity:	AA 107-156
Reactivity:	Human, Mouse, Guinea Pig, Horse, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HAX1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa107-156 of human HAX1 (000165, NP_006109). Percent
	identity by BLAST analysis: Human, Chimpanzee, Gibbon, Monkey, Marmoset, Mouse, Guinea
	pig (100%), Rat, Bovine (92%), Bat (85%), Horse (84%).
	Type of Immunogen: Synthetic peptide
Isotype:	lgG
Specificity:	Human HAX1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse (100%) Rat (92%) Bovine (85%) Horse
	(84%).
Purification:	Immunoaffinity purified

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN6741123 | 09/10/2023 | Copyright antibodies-online. All rights reserved.

Target:	HAX1
Alternative Name:	HAX-1 (HAX1 Products)
Background:	Name/Gene ID: HAX1
	Synonyms: HAX1, HAX-1, HCLSBP1, HS1BP1, HCLS1-associated protein X-1, HS1 binding
	protein, HS1-associating protein, HS1-binding protein 1, SCN3, HCLS1 associated protein X-1, HS1-associating protein X-1, HSP1BP-1
Gene ID:	10456
NCBI Accession:	NP_006109
JniProt:	O00165
Pathways:	Regulation of Actin Filament Polymerization
Application Details	
Application Notes:	Approved: WB (0.2 - 1 µg/mL)
	Usage: Western Blot: Suggested dilution at 1 $\mu$ g/mL in 5 % skim milk / PBS buffer, and HRP
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA
Comment:	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA
Comment: Restrictions:	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.
Restrictions:	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Target Species of Antibody: Human
Restrictions: Handling	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Target Species of Antibody: Human
Restrictions: Handling Format:	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Target Species of Antibody: Human For Research Use only
Restrictions: Handling Format: Reconstitution:	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500. Target Species of Antibody: Human For Research Use only Lyophilized
Restrictions: Handling Format: Reconstitution: Concentration:	<ul> <li>conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.</li> <li>Target Species of Antibody: Human</li> <li>For Research Use only</li> <li>Lyophilized</li> <li>Distilled water</li> </ul>
Restrictions: Handling Format: Reconstitution: Concentration: Buffer:	<ul> <li>conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.</li> <li>Target Species of Antibody: Human</li> <li>For Research Use only</li> <li>Lyophilized</li> <li>Distilled water</li> <li>Lot specific</li> </ul>
	<ul> <li>conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.</li> <li>Target Species of Antibody: Human</li> <li>For Research Use only</li> <li>Lyophilized</li> <li>Distilled water</li> <li>Lot specific</li> <li>Lyophilized from PBS with 2 % sucrose</li> </ul>
Restrictions: Handling Format: Reconstitution: Concentration: Buffer: Handling Advice:	<ul> <li>conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:62500.</li> <li>Target Species of Antibody: Human</li> <li>For Research Use only</li> <li>Lyophilized</li> <li>Distilled water</li> <li>Lot specific</li> <li>Lyophilized from PBS with 2 % sucrose</li> <li>Avoid repeat freeze-thaw cycles.</li> </ul>

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN6741123 | 09/10/2023 | Copyright antibodies-online. All rights reserved. Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

## Images



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN6741123 | 09/10/2023 | Copyright antibodies-online. All rights reserved.