antibodies .- online.com







anti-APBB2 antibody (AA 251-300)

100 μL



Image



\sim			
	N/6	1//r	$I \cap V$

Quantity:

Purification:

Quantity.	100 μΕ	
Target:	APBB2	
Binding Specificity:	AA 251-300	
Reactivity:	Human, Mouse, Rat, Guinea Pig, Monkey	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This APBB2 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa251-300 of human APBB2 (Q92870, NP_775098). Percent	
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey,	
	Marmoset, Mouse, Rat, Elephant, Zebra finch (100%), Galago, Panda, Dog, Bovine, Rabbit,	
	Horse, Turkey, Chicken (93%), Bat (90%), Opossum, Xenopus (86%), Guinea pig (85%).	
	Type of Immunogen: Synthetic peptide	
Isotype:	IgG	
Specificity:	Human APBB2	
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat (100%) Dog, Bovine, Rabbit, Horse,	

Chicken (93%) Guinea pig (85%).

Immunoaffinity purified

Target Details

Target:	APBB2
Alternative Name:	FE65L1 / APBB2 (APBB2 Products)
Background:	Name/Gene ID: APBB2
	Synonyms: APBB2, Fe65-like 1, FE65L1, Fe65-like, FE65L, Protein Fe65-like 1
Cana ID:	
Gene ID:	323
NCBI Accession:	323 NP_775098

Application Details

Application Details	
Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 μ g/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:1562500.
	Not recommended for: IHC-P
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long
	term use (up to 1 year)
	Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.