



[Go to Product page](#)

Datasheet for ABIN6741504
anti-c-Rel antibody (N-Term)

1 Image

Overview

Quantity:	100 µL
Target:	c-Rel
Binding Specificity:	N-Term
Reactivity:	Human, Dog, Horse, Rabbit, Cow, Guinea Pig, Pig, Zebrafish (Danio rerio), Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This c-Rel antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human REL (Q04864, NP_002899). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey, Galago, Marmoset, Dog, Bovine, Bat, Rabbit, Horse, Opossum (100%), Mouse, Rat, Elephant, Platypus (92%), Pig, Guinea pig, Turkey, Chicken, Xenopus, Zebrafish (85%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human REL / c-Rel
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Rabbit, Horse (100%) Mouse, Rat (92%) Pig, Guinea pig, Chicken, Xenopus, Zebrafish (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	c-Rel
Alternative Name:	REL / C-Rel (c-Rel Products)
Background:	Name/Gene ID: REL Synonyms: REL, C-Rel, C-Rel proto-oncogene protein, I-Rel, Proto-oncogene c-Rel
Gene ID:	5966
NCBI Accession:	NP_002899
UniProt:	Q04864

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:312500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.