

Datasheet for ABIN6741912
anti-NFATC1 antibody (AA 755-804)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	NFATC1
Binding Specificity:	AA 755-804
Reactivity:	Human, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFATC1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa755-804 of human NFATC1 (B5B2M8, NP_006153). Percent identity by BLAST analysis: Human, Gibbon, Monkey (100%), Gorilla (92%). Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human NFATC1
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	NFATC1
---------	--------

Target Details

Alternative Name:	NFATC1 (NFATC1 Products)
Background:	Name/Gene ID: NFATC1 Synonyms: NFATC1, NFATc, NFAT2, NF-ATC, NF-ATC transcription factor, NF-ATc1
Gene ID:	4772
NCBI Accession:	NP_006153
UniProt:	O95644
Pathways:	RTK Signaling , WNT Signaling , Fc-epsilon Receptor Signaling Pathway

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA titer in peptide based assay: 1:1562500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.