## antibodies -online.com







## anti-MOK antibody (AA 35-84)



Image



( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Overview	
Quantity:	100 μL
Target:	MOK
Binding Specificity:	AA 35-84
Reactivity:	Human, Mouse, Rat, Monkey, Guinea Pig, Horse, Pig, Bat, Cow, Dog
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MOK antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	

Application:	Western Blotting (WB)
Product Details	
Immunogen:	Synthetic peptide located between aa35-84 of human MOK (Q9UQ07, NP_055041). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Elephant, Dog, Bovine, Bat, Horse, Pig, Opossum, Guinea pig (100%), Galago, Rabbit, Turkey, Chicken (92%), Xenopus (85%).
	Type of Immunogen: Synthetic peptide
Isotype:	IgG
Specificity:	Human RAGE
Predicted Reactivity:	Percent identity by BLAST analysis:
Purification:	Immunoaffinity purified

## **Target Details**

Target:	MOK	
Alternative Name:	MOK / RAGE (MOK Products)	
Background:	Name/Gene ID: MOK	
	Subfamily: MAK	
	Family: Protein Kinase	
	Synonyms: MOK, MOK kinase, MOK protein kinase, RAGE, RAGE1, RAGE-1, Renal tumor antigen	
	1, Renal tumor antigen	
Gene ID:	5891	
NCBI Accession:	NP_055041	
UniProt:	Q9UQ07	
Pathways:	S100 Proteins	
Application Details		
Application Notes:	Approved: WB (0.2 - 1 μg/mL)	
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP	
	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA	
	titer in peptide based assay: 1:1562500.	
Comment:	Target Species of Antibody: Human	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Distilled water	
Concentration:	Lot specific	
Buffer:	Lyophilized from PBS with 2 % sucrose	
Handling Advice:	Avoid repeat freeze-thaw cycles.	
Storage:	4 °C,-20 °C	
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long	

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

## **Images**




Image 1.