antibodies -online.com





anti-HSD17B14 antibody (AA 35-84)



Image



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	$I \cap V$

Quantity:	100 μL	
Target:	HSD17B14	
Binding Specificity:	AA 35-84	
Reactivity:	Human, Rat, Dog, Horse, Pig, Rabbit	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HSD17B14 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa35-84 of human HSD17B14 (Q9BPX1, NP_057330).	
	Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Dog, Horse	
	(100%), Mouse, Elephant (92%), Rabbit (85%), Rat, Pig (84%).	
	Type of Immunogen: Synthetic peptide	
Isotype:	IgG	
Specificity:	Human HSD17B14	
Predicted Reactivity:	Percent identity by BLAST analysis: Dog (100%) Mouse (92%) Rabbit (85%) Rat, Pig (84%).	
Purification:	Immunoaffinity purified	

Target Details

Target:	HSD17B14
Alternative Name:	HSD17B14 (HSD17B14 Products)
Background:	Name/Gene ID: HSD17B14
	Synonyms: HSD17B14, 17-beta-HSD 14, DHRS10, RetSDR3, SDR3, SDR47C1
0 10	
Gene ID:	Synonyms: HSD17B14, 17-beta-HSD 14, DHRS10, RetSDR3, SDR3, SDR47C1 51171
Gene ID: NCBI Accession:	

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1.0 µg/mL in 5 % skim milk / PBS buffer, and HRP
	conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as second antibody. ELISA
	titer in peptide based assay: 1:1562500.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.