



[Go to Product page](#)

Datasheet for ABIN6742184
anti-TRAF6 antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	TRAF6
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Cow, Pig, Rabbit, Horse, Dog, Bat, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRAF6 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human TRAF6 (Q9Y4K3, NP_004611). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Dog, Bovine, Bat, Panda, Rabbit, Horse, Pig, Opossum, Zebra finch, Platypus (100%), Elephant (90%). Type of Immunogen: Synthetic peptide
Specificity:	Human TRAF6
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Pig (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	TRAF6
Alternative Name:	TRAF6 (TRAF6 Products)
Background:	Name/Gene ID: TRAF6 Synonyms: TRAF6, RING finger protein 85, MGC:3310, RNF85
Gene ID:	7189
NCBI Accession:	NP_004611
UniProt:	Q9Y4K3
Pathways:	NF-kappaB Signaling , TCR Signaling , TLR Signaling , Fc-epsilon Receptor Signaling Pathway , Neurotrophin Signaling Pathway , Activation of Innate immune Response , Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Production of Molecular Mediator of Immune Response , Tube Formation , Hepatitis C , Toll-Like Receptors Cascades , Ubiquitin Proteasome Pathway

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long

Handling

term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Images



Image 1.