



[Go to Product page](#)

Datasheet for ABIN6742256
anti-ZNF474 antibody (AA 35-84)

1 Image

Overview

| | |
|----------------------|---------------------------------------|
| Quantity: | 100 µL |
| Target: | ZNF474 |
| Binding Specificity: | AA 35-84 |
| Reactivity: | Human, Monkey |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ZNF474 antibody is un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------|--|
| Immunogen: | Synthetic peptide located between aa35-84 of human ZNF474 (Q6S9Z5, NP_997200). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Marmoset (100%), Bat, Horse, Pig (91%), Bovine (90%), Mouse (85%), Rat (83%). Type of Immunogen: Synthetic peptide |
| Specificity: | Human ZNF474 |
| Predicted Reactivity: | Percent identity by BLAST analysis: Horse, Pig (91%). |
| Purification: | Immunoaffinity purified |

Target Details

| | |
|---------|--------|
| Target: | ZNF474 |
|---------|--------|

Target Details

| | |
|-------------------|--|
| Alternative Name: | ZNF474 (ZNF474 Products) |
| Background: | Name/Gene ID: ZNF474 Synonyms: ZNF474, Zinc finger protein 474, TSZFP |
| Gene ID: | 133923 |
| NCBI Accession: | NP_997200 |
| UniProt: | Q6S9Z5 |

Application Details

| | |
|--------------------|--|
| Application Notes: | Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody. |
| Comment: | Target Species of Antibody: Human |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|---|
| Format: | Lyophilized |
| Reconstitution: | Distilled water |
| Concentration: | Lot specific |
| Buffer: | Lyophilized from PBS with 2 % sucrose |
| Handling Advice: | Avoid repeat freeze-thaw cycles. |
| Storage: | 4 °C,-20 °C |
| Storage Comment: | Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles. |




Image 1.