



[Go to Product page](#)

Datasheet for ABIN6742283

anti-ATM Interactor antibody (AA 576-625)

1 Image

Overview

Quantity:	100 µL
Target:	ATM Interactor (ATMIN)
Binding Specificity:	AA 576-625
Reactivity:	Human, Rabbit, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ATM Interactor antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa576-625 of human ATMIN (O43313, NP_056066). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey (100%), Mouse, Rat, Bovine (92%), Dog, Horse (91%), Elephant, Rabbit (84%). Type of Immunogen: Synthetic peptide
Specificity:	Human ATMIN / ASCIZ
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Mouse, Rat, Bovine (92%) Dog, Horse (91%) Rabbit (84%).
Purification:	Immunoaffinity purified

Target Details

Target: ATM Interactor (ATMIN)

Alternative Name: ATMIN ([ATMIN Products](#))

Background: Name/Gene ID: ATMIN

Synonyms: ATMIN, ASCIZ, ATM interactor, ATM INteracting protein, KIAA0431, Zinc finger protein 822, ZNF822

Gene ID: 23300

NCBI Accession: [NP_056066](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.