

Datasheet for ABIN6742306 anti-RERE antibody (AA 36-85)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	RERE
Binding Specificity:	AA 36-85
Reactivity:	Human, Mouse, Rat, Cow, Guinea Pig, Rabbit, Monkey, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RERE antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa36-85 of human RERE (Q9P2R6, NP_036234). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Bovine, Rabbit, Opossum, Guinea pig, Turkey, Xenopus (100%), Horse, Zebra finch, Zebrafish (92%). Type of Immunogen: Synthetic peptide
Specificity:	Human RERE
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Xenopus (100%) Horse, Zebrafish (92%).
Purification:	Immunoaffinity purified

Target Details

Target:	RERE
Alternative Name:	RERE (RERE Products)
Background:	Name/Gene ID: RERE Synonyms: RERE, ARG, Atrophin-1 like protein, ARP, ATN1L, Atrophin-1 related protein, Atrophin-1-like protein, DNB1, KIAA0458, Atrophin 2, Atrophin-1-related protein
Gene ID:	473
NCBI Accession:	NP_036234
UniProt:	Q9P2R6
Pathways:	Protein targeting to Nucleus

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.