

Datasheet for ABIN6742372  
**anti-Spt6 antibody (AA 71-120)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	100 µL
Target:	Spt6 (SUPT6H)
Binding Specificity:	AA 71-120
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Guinea Pig, Chicken, Pig, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Spt6 antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	Synthetic peptide located between aa71-120 of human SUPT6H (Q7KZ85, NP_003161). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset, Mouse, Rat, Elephant, Panda, Dog, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken (100%), Galago (92%), Bovine (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human SUPT6H
Predicted Reactivity:	Percent identity by BLAST analysis: Mouse, Rat, Dog, Rabbit, Horse, Chicken (100%) Bovine (85%).
Purification:	Immunoaffinity purified

## Target Details

Target:	Spt6 (SUPT6H)
Alternative Name:	SUPT6H / SPT6 ( <a href="#">SUPT6H Products</a> )
Background:	Name/Gene ID: SUPT6H  Synonyms: SUPT6H, HSPT6, SPT6, Tat-cotransactivator 2 protein, SPT6H, Emb-5, KIAA0162, Tat-CT2 protein
Gene ID:	6830
NCBI Accession:	<a href="#">NP_003161</a>
UniProt:	<a href="#">Q7KZ85</a>
Pathways:	<a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Regulation of Muscle Cell Differentiation</a> , <a href="#">Production of Molecular Mediator of Immune Response</a>

## Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.