



[Go to Product page](#)

Datasheet for ABIN6742505

## anti-TRIM47 antibody (AA 431-480)

### 1 Image

#### Overview

Quantity:	100 µL
Target:	TRIM47
Binding Specificity:	AA 431-480
Reactivity:	Human, Mouse, Rabbit, Cow, Pig, Rat, Guinea Pig, Horse, Monkey, Bat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM47 antibody is un-conjugated
Application:	Western Blotting (WB)

#### Product Details

Immunogen:	Synthetic peptide located between aa431-480 of human TRIM47 (Q96LD4, NP_258411). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Elephant, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Platypus (100%), Dog, Lizard (92%), Turkey, Zebra finch (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human TRIM47
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Bovine, Rabbit, Horse, Pig, Guinea pig (100%) Dog (92%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	TRIM47
Alternative Name:	TRIM47 ( <a href="#">TRIM47 Products</a> )
Background:	Name/Gene ID: TRIM47 Family: Tripartite Motif  Synonyms: TRIM47, GOA, RING finger protein 100, RNF100, Tripartite motif-containing 47, Tripartite motif containing 47
Gene ID:	91107
NCBI Accession:	<a href="#">NP_258411</a>
UniProt:	<a href="#">Q96LD4</a>

## Application Details


---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**