antibodies - online.com







anti-NKRF antibody (AA 36-85)



Image



\sim				
	$ V \cap$	r\/I	19	٨

OVEIVIEW		
Quantity:	100 μL	
Target:	NKRF	
Binding Specificity:	AA 36-85	
Reactivity:	Human, Mouse, Dog, Horse, Rabbit, Cow, Guinea Pig, Pig, Monkey, Bat, Hamster	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This NKRF antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Immunogen:	Synthetic peptide located between aa36-85 of human NKRF (015226, NP_060014). Percent	
	identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset,	
	Mouse, Hamster, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Guinea pig (100%), Rat (92%).	
	Type of Immunogen: Synthetic peptide	
Specificity:	Human NKRF	
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Dog, Bovine, Rabbit, Horse, Pig, Guinea pig (100%) Rat (92%).	
Purification:	Immunoaffinity purified	

Target Details

Target:	NKRF	
Alternative Name:	NKRF / NRF (NKRF Products)	
Background:	Name/Gene ID: NKRF	
	Synonyms: NKRF, NFkB-repressing factor, ITBA4, Protein ITBA4, NF-kappaB repressing factor, NFKB repressing factor, Transcription factor NRF, NF-kappa-B-repressing factor, NRF	
Gene ID:	55922	
NCBI Accession:	NP_060014	
UniProt:	015226	

Application Details

Application Notes:	Approved: WB (0.2 - 1 μg/mL)
	Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Lyophilized	
Distilled water	
Lot specific	
Lyophilized from PBS with 2 % sucrose	
Avoid repeat freeze-thaw cycles.	
4 °C,-20 °C	
Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for lot term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.	




Image 1.