



[Go to Product page](#)

Datasheet for ABIN6742677
anti-DDX52 antibody (AA 35-84)

1 Image

Overview

Quantity:	100 µL
Target:	DDX52
Binding Specificity:	AA 35-84
Reactivity:	Human, Rat, Cow, Dog, Horse, Rabbit, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DDX52 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa35-84 of human DDX52 (Q9Y2R4, NP_008941). Percent identity by BLAST analysis: Human, Gorilla, Gibbon, Monkey, Elephant, Panda, Dog, Bovine, Rabbit, Horse (100%), Galago, Mouse, Guinea pig (92%), Marmoset (84%), Rat (78%). Type of Immunogen: Synthetic peptide
Specificity:	Human DDX52
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Dog, Bovine, Rabbit, Horse (100%) Mouse, Guinea pig (92%).
Purification:	Immunoaffinity purified

Target Details

Target:	DDX52
Alternative Name:	DDX52 (DDX52 Products)
Background:	Name/Gene ID: DDX52 Family: DEAD box protein Synonyms: DDX52, DEAD box protein 52, HUSSY19, ROK1
Gene ID:	11056
NCBI Accession:	NP_008941

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.