



[Go to Product page](#)

Datasheet for ABIN6742736
anti-CIITA antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	CIITA
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Dog, Cow, Guinea Pig, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CIITA antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human CIITA (P33076, NP_000237). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Marmoset (100%), Elephant, Rabbit, Horse (92%), Bat (91%), Turkey, Chicken (90%), Galago, Mouse, Rat, Panda, Dog, Opossum, Guinea pig (85%), Zebra finch (84%). Type of Immunogen: Synthetic peptide
Specificity:	Human CIITA
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Rabbit, Horse (92%) Chicken (90%) Mouse, Rat, Dog, Guinea pig (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	CIITA
Alternative Name:	CIITA (CIITA Products)
Background:	Name/Gene ID: CIITA Synonyms: CIITA, C2TA, MHC class II transactivator, MHC2TA, CIITAIV, NLRA
Gene ID:	4261
NCBI Accession:	NP_000237
UniProt:	P33076
Pathways:	Cancer Immune Checkpoints

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.