



[Go to Product page](#)

Datasheet for ABIN6742820

anti-C16orf80 antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	C16orf80
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Dog, Zebrafish (Danio rerio), Cow, Guinea Pig, Horse, Rabbit, Chicken, Xenopus laevis, Monkey, Pig, Bat, Drosophila melanogaster
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C16orf80 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human C16orf80 (Q9Y6A4, NP_037374). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Elephant, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus, Xenopus, Catfish, Zebrafish, Sea squirt, Drosophila, Beetle (100%), Nematode, Grape (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human C16orf80 / GTL3
Predicted Reactivity:	Percent identity by BLAST analysis: Rabbit, Horse, Guinea pig (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	C16orf80
Alternative Name:	CFAP20 / GTL3 (C16orf80 Products)
Background:	Name/Gene ID: CFAP20 Synonyms: CFAP20, C16orf80, Gene trap locus 3, EVORF, UPF0468 protein C16orf80, FSAP23, GTL3, Transcription factor IIB
Gene ID:	29105
NCBI Accession:	NP_037374
UniProt:	Q9Y6A4

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.




Image 1.