



[Go to Product page](#)

Datasheet for ABIN6742919  
**anti-SPIC antibody (C-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	SPIC
Binding Specificity:	C-Term
Reactivity:	Human, Cow, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SPIC antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human SPIC (Q8N5J4, NP_689536). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Orangutan, Gibbon, Monkey (100%), Marmoset, Bovine (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human SPIC
Predicted Reactivity:	Percent identity by BLAST analysis: Human (100%) Bovine (85%).
Purification:	Immunoaffinity purified

Target Details

Target:	SPIC
---------	------

## Target Details

---

Alternative Name:	SPIC ( <a href="#">SPIC Products</a> )
Background:	Name/Gene ID: SPIC  Synonyms: SPIC, SPI-C, Transcription factor Spi-C
Gene ID:	121599
NCBI Accession:	<a href="#">NP_689536</a>
UniProt:	<a href="#">Q8N5J4</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**