Datasheet for ABIN6742938

anti-RNF166 antibody (C-Term)

1 Image

Go to Product page

Overview

Quantity:	100 µL
Target:	RNF166
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Horse, Cow, Zebrafish (Danio rerio), Guinea Pig, Dog, Bat, Chicken, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF166 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human AOC1 (Q96A37, NP_849163). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Mouse, Rat, Elephant, Dog, Bovine, Bat, Horse, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus, Xenopus, Stickleback, Zebrafish (100%), Trout, Salmon (92%), Monkey, Marmoset, Rabbit, Pig, Lizard (91%). Type of Immunogen: Synthetic peptide
Specificity:	Human RNF166
Predicted Reactivity:	Percent identity by BLAST analysis: Mouse, Dog, Bovine, Horse, Chicken (100%).
Purification:	Immunoaffinity purified

Target Details

Target:	RNF166
Alternative Name:	RNF166 (RNF166 Products)
Background:	Name/Gene ID: RNF166 Synonyms: RNF166, Ring finger protein 166
Gene ID:	115992
NCBI Accession:	NP_849163
UniProt:	Q96A37

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.

Image 1.

 Copyright antibodies-online. All rights reserved.