



[Go to Product page](#)

Datasheet for ABIN6742938
anti-RNF166 antibody (C-Term)

1 Image

Overview

Quantity:	100 µL
Target:	RNF166
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat, Horse, Cow, Zebrafish (Danio rerio), Guinea Pig, Dog, Bat, Chicken, Xenopus laevis
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RNF166 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from C-Terminus of human AOC1 (Q96A37, NP_849163). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Galago, Mouse, Rat, Elephant, Dog, Bovine, Bat, Horse, Opossum, Guinea pig, Turkey, Zebra finch, Chicken, Platypus, Xenopus, Stickleback, Zebrafish (100%), Trout, Salmon (92%), Monkey, Marmoset, Rabbit, Pig, Lizard (91%). Type of Immunogen: Synthetic peptide
Specificity:	Human RNF166
Predicted Reactivity:	Percent identity by BLAST analysis: Mouse, Dog, Bovine, Horse, Chicken (100%).
Purification:	Immunoaffinity purified

Target Details

Target: RNF166

Alternative Name: RNF166 ([RNF166 Products](#))

Background: Name/Gene ID: RNF166

Synonyms: RNF166, Ring finger protein 166

Gene ID: 115992

NCBI Accession: [NP_849163](#)

UniProt: [Q96A37](#)

Application Details

Application Notes: Approved: WB (0.2 - 1 µg/mL)

Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.

Comment: Target Species of Antibody: Human

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Distilled water

Concentration: Lot specific

Buffer: Lyophilized from PBS with 2 % sucrose

Handling Advice: Avoid repeat freeze-thaw cycles.

Storage: 4 °C, -20 °C

Storage Comment: Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)

Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.