Datasheet for ABIN6742993

anti-SF3A1 antibody (AA 72-121)

Go to Product page

1 Image

Overview

Quantity:	100 µL
Target:	SF3A1
Binding Specificity:	AA 72-121
Reactivity:	Human, Mouse, Rat, Dog, Cow, Horse, Rabbit, Guinea Pig, Xenopus laevis, Chicken, Pig, Bat, Hamster, Monkey
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SF3A1 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide located between aa72-121 of human SF3A1 (Q15459, NP_005868). Percent identity by BLAST analysis: Human, Chimpanzee, Gorilla, Gibbon, Monkey, Galago, Marmoset, Mouse, Rat, Hamster, Elephant, Panda, Dog, Bovine, Bat, Rabbit, Horse, Pig, Opossum, Guinea pig, Chicken, Xenopus (100%), Zebrafish (92%), Salmon, Stickleback (85%). Type of Immunogen: Synthetic peptide
Specificity:	Human SF3A1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Mouse, Rat, Dog, Bovine, Rabbit, Horse, Pig, Chicken (100%) Zebrafish (92%).
Purification:	Immunoaffinity purified

Copyright antibodies-online. All rights reserved.

Target Details

Target:	SF3A1
Alternative Name:	SF3A1 / SF3A120 (SF3A1 Products)
Background:	Name/Gene ID: SF3A1 Synonyms: SF3A1, Pre-mRNA processing 21, PRPF21, SAP 114, SAP114, SF3A120, Splicing factor 3 subunit 1, Splicing factor 3A subunit 1, PRP21
Gene ID:	10291
NCBI Accession:	NP_005868
UniProt:	Q15459
Pathways:	Ribonucleoprotein Complex Subunit Organization

Application Details

Application Notes:	Approved: WB (0.2 - 1 µg/mL) Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year) Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



Image 1.

 Copyright antibodies-online. All rights reserved.