



[Go to Product page](#)

Datasheet for ABIN6743000  
**anti-SRSF10 antibody (N-Term)**

1 Image

Overview

Quantity:	100 µL
Target:	SRSF10
Binding Specificity:	N-Term
Reactivity:	Human, Mouse, Rat, Guinea Pig, Rabbit, Dog, Pig, Cow, Monkey, Chicken
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This SRSF10 antibody is un-conjugated
Application:	Western Blotting (WB)

Product Details

Immunogen:	Synthetic peptide from N-Terminus of human FUSIP1 (O75494, NP_473357). Percent identity by BLAST analysis: Human, Chimpanzee, Orangutan, Gibbon, Marmoset, Mouse, Rat, Bovine, Rabbit, Pig, Opossum, Guinea pig, Zebra finch, Chicken (100%), Xenopus (85%).  Type of Immunogen: Synthetic peptide
Specificity:	Human SRSF10 / FUSIP1
Predicted Reactivity:	Percent identity by BLAST analysis: Human, Orangutan, Mouse, Rat, Bovine, Dog, Chicken (100%) Xenopus (85%).
Purification:	Immunoaffinity purified

## Target Details

---

Target:	SRSF10
Alternative Name:	SRSF10 / FUSIP1 ( <a href="#">SRSF10 Products</a> )
Background:	Name/Gene ID: SRSF10  Synonyms: SRSF10, 40 kDa SR-repressor protein, FUSIP1, FUSIP2, Neural-salient SR protein, SFRS13, Splicing factor SRp38, SRp40, TASR1, TLS-associated protein TASR, TLS-associated SR protein, SFRS13A, TASR, NSSR, SR splicing factor 10, SRp38, TASR2
Gene ID:	10772
NCBI Accession:	<a href="#">NP_473357</a>
UniProt:	<a href="#">O75494</a>
Pathways:	<a href="#">Ribonucleoprotein Complex Subunit Organization</a>

## Application Details

---

Application Notes:	Approved: WB (0.2 - 1 µg/mL)  Usage: Western Blot: Suggested dilution at 1 µg/mL in 5 % skim milk / PBS buffer, and HRP conjugated anti-Rabbit IgG should be diluted in 1: 50,000 - 100,000 as secondary antibody.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only

## Handling

---

Format:	Lyophilized
Reconstitution:	Distilled water
Concentration:	Lot specific
Buffer:	Lyophilized from PBS with 2 % sucrose
Handling Advice:	Avoid repeat freeze-thaw cycles.
Storage:	4 °C, -20 °C
Storage Comment:	Long term: -20°C, the use of 50% glycerol is recommended if storing aliquots in -20°C for long term use (up to 1 year)  Short term (less than 1 week): 4°C. Avoid freeze-thaw cycles.



**Image 1.**